








Synergy Garage Door Price Catalog








Category	Model	Picture	Specification	MOQ	Unit Price
Complete Door	CS-066		Size(H*W): 7*8 feet Color: White/Creamy-white Material: Galvanized steel plain sheet+ Foam	1	\$376.20
	CS-067		Size(H*W): 7*9 feet Color: White/Creamy-white Material: Galvanized steel plain sheet+ Foam	1	\$392.40
	CS-068		Size(H*W): 8*9 feet Color: White/Creamy-white Material: Galvanized steel plain sheet+ Foam	1	\$423.50
	CS-069		Size(H*W): 7*16 feet Color: White/Creamy-white Material: Galvanized steel plain sheet+ Foam	1	\$587.20
	CS-070		Size(H*W): 7*8 feet Color: White/Creamy-white Material: Galvanized steel plain sheet+ Foam Epidermal Thickness: 0.326mm Panel Thickness: 40mm Remote Control Range: 30m	1	\$167.00
	CS-071		Size(H*W): 7*9 feet Color: White/Creamy-white Material: Galvanized steel plain sheet+ Foam Epidermal Thickness: 0.326mm Panel Thickness: 40mm Remote Control Range: 30m	1	\$180.00








Complete Door	CS-072		Size(H*W): 8*9 feet Color: White/Creamy-white Material: Galvanized steel plain sheet+ Foam Epidermal Thickness: 0.326mm Panel Thickness: 40mm Remote Control Range: 30m	1	\$204.00
	CS-073		Size(H*W): 7*16 feet Material: Galvanized steel plain sheet+ Foam Epidermal Thickness: 0.326mm Panel Thickness: 40mm Remote Control Range: 30m	1	\$285.00
	CS-074		Size(H*W): 7*8 feet Material: Aluminum+ Foam Door Weight: 48kg Panel Thickness: 40mm Remote Control Range: 50m	1	\$407.35
	CS-075		Size(H*W): 7*9 feet Material: Aluminum+ Foam Door Weight: 53kg Panel Thickness: 40mm Remote Control Range: 50m	1	\$407.35
	CS-076		Size(H*W): 8*9 feet Material: Aluminum+ Foam Door Weight: 62kg Panel Thickness: 40mm Remote Control Range: 50m	1	\$407.35
	CS-077		Size(H*W): 7*16 feet Material: Aluminum+ Foam Door Weight: 95kg Panel Thickness: 40mm Remote Control Range: 50m	1	\$607.35
	CS-078		Size(H*W): 7*8 feet Material: Aluminum+ Foam Remote Control Range: 80m	1	\$304.70








Complete Door	CS-079		Size(H*W): 7*9 feet Material: Aluminum+ Foam Remote Control Range: 80m	1	\$343.20
	CS-080		Size(H*W): 8*9 feet Material: Aluminum+ Foam Remote Control Range: 80m	1	\$391.60
Bearing Support	CS-050		Material: Iron Surface Treatment: Iron zinc plating Bearing retainer with crimped in 1" bearing Thickness: 2.0mm	2000	\$0.74
	CS-051		Material: Iron Surface Treatment: Iron zinc plating	2000	\$0.26
	CS-0560		Material: Iron Surface Treatment: Iron zinc plating	2000	\$0.92
	CS-043		Material: Iron Surface Treatment: Iron zinc plating	2000	\$0.81
Slide way	H1-1		hanger roller plastic bag and carton Fit G1 track	1000	\$4.10

Slide way	H1-5		hanger roller plastic bag and carton Fit G1 track	1000	\$3.88
	H1-4		hanger roller plastic bag and carton Fit G1 track	1000	\$3.69
	H2-2		hanger roller plastic bag and carton Fit G2 track	3000	\$3.29
	H2-1		hanger roller plastic bag and carton Fit G2 track	3000	\$1.50
	H3-3		hanger roller plastic bag and carton Fit G3 track	3000	\$2.69
	H3-2		hanger roller plastic bag and carton Fit G3 track	3000	\$1.98
	H3-1		hanger roller plastic bag and carton Fit G3 track	3000	\$2.48

Slide way	H3		hanger roller plastic bag and carton Fit G3 track	3000	\$1.79
	H4-1		hanger roller plastic bag and carton Fit G4-A	3000	\$1.63
	H4-3		anger roller plastic bag and carton Fit G4-A	3000	\$1.76
	H4-4		anger roller plastic bag and carton Fit G4-A	3000	\$0.81
Slide way	H4-5		anger roller plastic bag and carton Fit G4-A	3000	\$1.14
	H5		anger roller plastic bag and carton Fit G1 track	1000	\$4.99
Anti-dropping bracket	CS-1001		Size: 3 inches Thickness: 4.5mm Material: Steel	2000	\$5.89

	CS-1002		Size: 3 inches Thickness: 4.6mm Surface Treatment: Galvanized Material: Steel	5000	\$9.12
Rolling Door Motor	QL-1P-600		Material: Metal Voltage: 220V 50Hz Power: 300W Hoisting Height: 6m Security Classification: A	1	\$119.12
	KY-1P-600L		Material: Metal Voltage: 220V 50Hz Power: 200W Hoisting Height: 6m Security classification: A	1	\$88.24
	QL-1P-600L		Material: Metal Voltage: 220V 50Hz Power: 200W Hoisting Height: 6m Security Classification: A	1	\$114.71
	QL-1P-1000		Material: Metal Voltage: 220V 50Hz Power: 200W Hoisting Height: 8m Security Classification: A	1	\$198.53
	FJJ335-3P		Material: Metal Voltage: 380V Rated frequency: 50Hz Power: 250W Hoisting Height: 6m Security Classification: A	1	\$220.59
	QL-1P-800		Material: Metal Voltage: 220V 50Hz Power: 400W Hoisting Height: 8m Security Classification: A	1	\$167.65

Rolling Door Motor	QL-1P-600T		Material: Metal Voltage: 220V 50Hz Power: 300W Hoisting Height: 6m Security Classification: A	1	\$113.24
	FJJ470-3P		Material: Metal Voltage: 380V Power: 500W Rated Frequency: 50Hz Hoisting Height: 8m Security Classification: A	1	\$264.71
	FJJ750-3P		Material: Metal Voltage: 380V Rated Frequency 50Hz Power: 500W Hoisting Height: 8m Security Classification: A	1	\$338.24
	QL-1P-800S		Material: Metal Voltage: 220V 50Hz Power: 370W Hoisting Height: 6m Security Classification: A	1	\$150.00
	SCUD412/24V		Input Voltage: 220V 50Hz Rated Power: 300w Motor Voltage: 24V Max Elevating: 6m	1	\$441.18
	QL-1P-300L		Material: Metal Voltage: 220V 50Hz Power: 200W Hoisting Height: 6m Security Classification: A	1	\$100.00
	JZ-1P-600L		Material: Metal Voltage: 220V 50Hz Power: 200W Hoisting Height: 6m Security Classification: A	1	\$80.88

Rolling Door Motor	QL-1P-300		Material: Metal Voltage: 220V 50Hz Power: 250W Hoisting Height: 6m Security Classification: A	1	\$112.50
	QL-1P-300SL		Material: Metal Voltage: 220V 50Hz Power: 150W Hoisting Height: 6m Security Classification: A	1	\$95.59
	QL-3P-800		Material: Metal Voltage: 380V 50Hz Power: 400W Hoisting Height: 8m Security Classification: A	1	\$175.00
	AL500		Material: Metal Voltage: 220v 50HZ Hoisting Height: 6m Power: 530w Security Classification: A	1	\$411.76
	XT2-1P-600L		Material: Metal Voltage: 220v 50HZ Hoisting Height: 6m Power: 200w Security Classification: A Temperature: -20°C - +50°C	1	\$80.88
	QL-DC-600		Material: Metal Security Classification: A	1	\$174.26
	Garage Door Hinge	CS-039		Material: Steel Z/P, Finger protection Side hinge for protection panel, use with intermediate hinge XS039M Thickness: 2.0mm, Width: 60mm	2000

Garage Door Hinge	CS-1018		Commercial Adjustable Hinge Width Finger Antitrapping finish: galvanization or as required	2000	\$0.67
Garage Door Hardware	FHA-023		Material: Iron	5000	\$1.18
	CS-052		Material: Iron Surface treatment: Iron zinc plating	2000	\$1.84
	CS-083		1" Bearing Inside Dima.25.5mm Suitable for mounting in bearing bracket or stationary plugs Maximum load: 180kg The inside dia.mm 25.4 The outside dia.mm 50.8	2000	\$0.66
	rollers		Material: PE and Stainless Steel Size: 9cm*4cm Color: Gray and a steel true colors	10000	\$0.03